

**Errata and Supplements to
Discrete Convex Analysis (SIAM, 2003)
1st printing (hard cover) (ISBN 0-89871-540-7)**

- Page 94, line 4 from bottom: Delete “is as follows.”
- Page 109, line 12: $4 \min(\lambda_j, \lambda_k) (\geq 4/N) \implies 2 \min(\lambda_j, \lambda_k) (\geq 2/N)$
- Page 113, line 12 from bottom (last paragraph of the proof of Theorem 4.18):
Let p be such that the optimal solutions to (A) with respect to p form a minimal face of the feasible region of (A).
- Page 133, (6.2): $\Delta f(z, v, u) \implies \Delta f(z; v, u)$
- Page 139, Proposition 6.8 (2): Condition (6.26) follows from (6.27), and hence (6.26) is redundant.
- Page 143, three lines above Theorem 6.13:
 $f_{[a,b]}$ for an integer interval $[a, b] \implies$
 $f_{[a,b]}$ for the restriction of f to an integer interval $[a, b]$
- Page 143, Theorem 6.13 (8) [Convolution of M-convex functions]
The proof here makes use of transformation by a network, but an alternative direct proof can be found in:
K. Murota: On infimal convolution of M-convex functions, RIMS Kokyuroku, No.1371 (2004), 20–26, and METR 2004-12, Department of Mathematical Informatics, University of Tokyo, March 2004
<http://www.keisu.t.u-tokyo.ac.jp/research/techrep/data/2004/METR04-12.pdf>
- Page 151, Theorem 6.30, Proof of Claim 1:
The final step reads: “This shows (B-EXC₊[**R**]) for \bar{B} . Therefore, B is an M-convex set.” Before we can argue in this way, we have to verify $\bar{B} \cap \mathbf{Z}^V = B$, which is possible.
- Page 152, Section 6.8: A characterization of gross substitutes property in terms of an exchange property is also found in:
H. Reijnierse, A. van Gallekom, and J. A. M. Potters: Verifying gross substitutability, *Economic Theory*, **20** (2002), 767–776.
- Page 172, Proof of Theorem 6.74:
“Theorem 6.4 can be strengthened to a statement that (M-EXC[**Z**]) and (M-EXC_{loc}[**Z**]) are equivalent if $\text{dom } f$ satisfies (Q-EXC_w). (This can be shown by modifying the proof of Claim 2 in the proof of Theorem 6.4.)”
The detail of the argument can be found in a memorandum of A. Shioura: Level set characterization of M-convex functions (February 1998); see Claim 2 on page 6.

- Page 185, Theorem 7.14 [L-optimality criterion]
The proof here makes use of the optimality criterion for integrally convex functions, but an alternative direct proof can be found in:
K: Murota: A proof of the L-optimality criterion theorem, unpublished note, July 2004,
<http://www.comp.tmu.ac.jp/kzmurota/paper/loptimality04.pdf>
- Page 219, Theorem 8.17 [M-convex intersection theorem]
The proof here makes use of the M-separation theorem, but an alternative direct proof can be found in:
K. Murota: A proof of the M-convex intersection theorem, RIMS Kokyuroku, No.1371 (2004), 13–19, and METR 2004-03, Department of Mathematical Informatics, University of Tokyo, January 2004
<http://www.keisu.t.u-tokyo.ac.jp/research/techrep/data/2004/METR04-03.pdf>
- Page 305, Section 10.3.1:
A detailed analysis of the steepest descent algorithm for L-convex functions can be found in:
K. Murota and A. Shioura: Exact bounds for steepest descent algorithms of L-convex function minimization, *Operations Research Letters*, **42** (2014), 361–366.
- Page 331, ($-M^{\natural}$ -SWGS[Z]): For $x \in \arg \min U[-p] \implies$ For $x \in \arg \max U[-p]$
- Page 333, “(SNC) for $\tilde{U} \implies M^{\natural}$ -concavity for U ”:
The converse of this statement is also true, that is,
$$\text{(SNC) for } \tilde{U} \iff M^{\natural}\text{-concavity for } U$$
holds. See K. Murota: Multiple exchange property for M^{\natural} -concave functions and valuated matroids, arXiv: 1608.07021, <http://arxiv.org/abs/1608.07021>, August, 2016.
- Page 365, [39]: P. G. Doyle and J. L. Snell: *Random Walks and Electrical Networks*, Mathematical Association of America, Washington DC, 1984.
- Page 369, [105] (S. Iwata and M. Shigeno): (2003) \implies (2002)
- Page 372, [143] (K. Murota): (1999) \implies (1998)
- Page 375, [192] (A. Shioura): (2003) \implies (2004)
- Page 376, [202]: D. M. Topkis, \implies D. M. Topkis:

Updates of bib-infor:

- [32] V. I. Danilov and G. A. Koshevoy: Discrete convexity and unimodularity, I, *Advances in Mathematics*, **189** (2004), 301–324.

- [33] V. Danilov, G. Koshevoy, and C. Lang: Gross substitution, discrete convexity, and submodularity, *Discrete Applied Mathematics*, **131** (2003), 283–298.
- [44] J. Edmonds: Submodular functions, matroids and certain polyhedra, in: R. Guy, H. Hanani, N. Sauer, and J. Schönheim, eds., *Combinatorial Structures and Their Applications*, Gordon and Breach, New York, 1970, 69–87. Also in: M. Jünger, G. Reinelt, G. Rinaldi, eds., *Combinatorial Optimization—Eureka, You Shrink!*, Lecture Notes in Computer Science, **2570**, Springer-Verlag, Berlin, 2003, 11–26.
- [47] A. Eguchi and S. Fujishige: An extension of the Gale–Shapley stable matching algorithm to a pair of M^{\natural} -concave functions, Discrete Mathematics and Systems Science Research Report, No. 02-05, Division of Systems Science, Osaka University, November 2002. (This is the final form; no journal paper exists.)
- [53] L. R. Ford, Jr., and D. R. Fulkerson: *Flows in Networks*, Princeton University Press, Princeton, 1962.
- [65] S. Fujishige: *Submodular Functions and Optimization*, Annals of Discrete Mathematics, **47**, North-Holland, Amsterdam, 1991; 2nd ed., Annals of Discrete Mathematics, **58**, Elsevier, 2005.
- [67] S. Fujishige, K. Makino, T. Takabatake, and K. Kashiwabara: Polybasic polyhedra: structure of polyhedra with edge vectors of support size at most 2, *Discrete Mathematics*, **280** (2004), 13–27.
- [69] S. Fujishige and Z. Yang: A note on Kelso and Crawford’s gross substitutes condition, *Mathematics of Operations Research*, **28** (2003), 463–469.
- [70] S. Fujishige and X. Zhang: New algorithms for the intersection problem of submodular systems, *Japan Journal of Industrial and Applied Mathematics*, **9** (1992), 369–382.
- [75] J. F. Geelen and S. Iwata: Matroid matching via mixed skew-symmetric matrices, *Combinatorica*, **25** (2005), 187–215.
- [76] J. F. Geelen, S. Iwata, and K. Murota: The linear delta-matroid parity problem, *Journal of Combinatorial Theory (B)*, **88** (2003), 377–398.
- [100] S. Iwata: A faster scaling algorithm for minimizing submodular functions, in: W. J. Cook and A. S. Schulz, eds., *Integer Programming and Combinatorial Optimization*, Lecture Notes in Computer Science, **2337**, Springer-Verlag, 2002, 1–8; *SIAM Journal on Computing*, **32** (2003), 833–840.
- [103] S. Iwata, S. T. McCormick, and M. Shigeno: Fast cycle canceling algorithms for minimum cost submodular flow, *Combinatorica*, **23** (2003), 503–525.

- [115] B. Korte and J. Vygen: *Combinatorial Optimization: Theory and Algorithms*, Springer-Verlag, Berlin, 2000; 2nd ed., 2001; 3rd ed., 2006; 4th ed., 2008; 5th ed., 2012.
- [127] S. T. McCormick: Submodular Function Minimization, in: K. Aardal, G. Nemhauser, and R. Weismantel, eds., *Discrete Optimization*, Handbooks in Operations Research and Management Science, Vol.12, Elsevier Science Publishers, Berlin, 2006, Chapter 7, 321–391.
- [132] S. Moriguchi and K. Murota: Capacity scaling algorithm for scalable M-convex submodular flow problems, *Optimization Methods and Software*, **18** (2003), 207–218.
- [134] S. Moriguchi and A. Shioura: On Hochbaum’s proximity-scaling algorithm for the general resource allocation problem, *Mathematics of Operations Research*, **29** (2004), 394–397.
- [148] K. Murota: On steepest descent algorithms for discrete convex functions, *SIAM Journal on Optimization*, **14** (2003), 699–707.
- [155] K. Murota and A. Shioura: Quadratic M-convex and L-convex functions, *Advances in Applied Mathematics*, **33** (2004), 318–341.
- [156] should be changed to:
K. Murota and A. Shioura: Fundamental properties of M-convex and L-convex functions in continuous variables, *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, **E87-A** (2004), 1042–1052.
- [157] K. Murota and A. Shioura: Conjugacy relationship between M-convex and L-convex functions in continuous variables, *Mathematical Programming*, **101** (2004), 415–433.
- [158] K. Murota and A. Shioura: Substitutes and complements in network flows viewed as discrete convexity, *Discrete Optimization*, **2** (2005), 256–268.
- [160] K. Murota and A. Tamura: New characterizations of M-convex functions and their applications to economic equilibrium models with indivisibilities, *Discrete Applied Mathematics*, **131** (2003), 495–512.
- [161] K. Murota and A. Tamura: Application of M-convex submodular flow problem to mathematical economics, in: P. Eades and T. Takaoka, eds., *Algorithms and Computation*, Lecture Notes in Computer Science, **2223**, Springer-Verlag, 2001, 14–25; *Japan Journal of Industrial and Applied Mathematics*, **20** (2003), 257–277.
- [162] K. Murota and A. Tamura: Proximity theorems of discrete convex functions, *Mathematical Programming*, **99** (2004), 539–562.

- [192] A. Shioura: Fast scaling algorithms for M-convex function minimization with application to the resource allocation problem, *Discrete Applied Mathematics*, **134** (2003), 303–316.
- [197] A. Tamura: Coordinatewise domain scaling algorithm for M-convex function minimization, in: W. J. Cook and A. S. Schulz, eds., *Integer Programming and Combinatorial Optimization*, Lecture Notes in Computer Science, **2337**, Springer-Verlag, 2002, 21–35; *Mathematical Programming*, **102** (2005), 339–354.
- [198] A. Tamura: On convolution of L-convex functions, *Optimization Methods and Software*, **18** (2003), 231–245.
- [208] J. Vygen: A note on Schrijver’s submodular function minimization algorithm, *Journal of Combinatorial Theory (B)*, **88** (2003), 399–402.

Addition to Bibliography for 2nd Printing (soft cover)

- [223] E. Altman, B. Gaujal, and A. Hordijk: *Discrete-Event Control of Stochastic Networks: Multimodularity and Regularity*, Lecture Notes in Mathematics, **1829**, Springer-Verlag, Heidelberg, 2003.
- [224] S. Fujishige and A. Tamura: A general two-sided matching market with discrete concave utility functions, *Discrete Applied Mathematics*, **154** (2006), 950–970.
- [225] S. Fujishige and A. Tamura: A two-sided discrete-concave market with possibly bounded side payments: An approach by discrete convex analysis, *Mathematics of Operations Research*, **32** (2007), 136–155.
- [226] H. Hirai: A geometric study of the split decomposition, *Discrete and Computational Geometry*, **36** (2006), 331–361.
- [227] H. Hirai and K. Murota: M-convex functions and tree metrics, *Japan Journal of Industrial and Applied Mathematics*, **21** (2004), 391–403.
- [228] W. T. Huh and G. Janakiraman: On the optimal policy structure in serial inventory systems with lost sales, *Operations Research*, **58** (2010), 486–491.
- [229] T. Iimura, K. Murota, and A. Tamura: Discrete fixed point theorem reconsidered, *Journal of Mathematical Economics*, **41** (2005), 1030–1036.
- [230] S. Iwata, S. Moriguchi, and K. Murota: A capacity scaling algorithm for M-convex submodular flow, *Mathematical Programming*, **103** (2005), 181–202.
- [231] Y. Kobayashi and K. Murota: Induction of M-convex functions by linking systems, *Discrete Applied Mathematics*, **155** (2007), 1471–1480.
- [232] Y. Kobayashi, K. Murota and K. Tanaka: Operations on M-convex functions on jump systems, *SIAM Journal on Discrete Mathematics*, **21** (2007), 107–129.
- [233] V. Kolmogorov and A. Shioura: New algorithms for convex cost tension problem with application to computer vision, *Discrete Optimization*, **6** (2009), 378–393.
- [234] B. Lehmann, D. Lehmann, and N. Nisan: Combinatorial auctions with decreasing marginal utilities, *Games and Economic Behavior*, **55** (2006), 270–296.
- [235] S. Moriguchi and K. Murota: Discrete Hessian matrix for L-convex functions, *IE-ICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, **E88-A** (2005), 1104–1108.
- [236] S. Moriguchi and K. Murota: On discrete Hessian matrix and convex extensibility, *Journal of Operations Research Society of Japan*, **55** (2012), 48–62.
- [237] S. Moriguchi, A. Shioura and N. Tsuchimura: M-convex function minimization by continuous relaxation approach—Proximity theorem and algorithm, *SIAM Journal on Optimization*, **21** (2011), 633–668.
- [238] K. Murota: Note on multimodularity and L-convexity, *Mathematics of Operations Research*, **30** (2005), 658–661.

- [239] K. Murota: M-convex functions on jump systems: A general framework for min-square graph factor problem, *SIAM Journal on Discrete Mathematics*, **20** (2006), 213–226.
- [240] K. Murota: Recent developments in discrete convex analysis, in: W. Cook, L. Lovasz and J. Vygen, eds., *Research Trends in Combinatorial Optimization*, Springer, Berlin, 2009, Chapter 11, 219–260.
- [241] K. Murota: Submodular function minimization and maximization in discrete convex analysis, *RIMS Kokyuroku Bessatsu*, **B23** (2010), 193–211.
- [242] K. Murota and K. Tanaka: A steepest descent algorithm for M-convex functions on jump systems, *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, **E89-A** (2006), 1160–1165.
- [243] A. Shioura: On the pipage rounding algorithm for submodular function maximization: A view from discrete convex analysis, *Discrete Mathematics, Algorithms and Applications*, **1** (2009), 1–23.
- [244] A. Shioura and K. Tanaka: Polynomial-time algorithms for linear and convex optimization on jump systems, *SIAM Journal on Discrete Mathematics*, **21** (2007), 504–522.
- [245] A. Tamura: Applications of discrete convex analysis to mathematical economics, *Publications of Research Institute for Mathematical Sciences*, **40** (2004), 1015–1037.
- [246] P. Zipkin: On the structure of lost-sales inventory models, *Operations Research*, **56** (2008), 937–944.

(end)